



HÄNDE-/HAUT-  
DESINFIZIERUNGSMITTEL

# AHD 2000®

Alkoholisches Hände- und  
Haut-Desinfektionsmittel

Désinfectant alcoolisé  
pour les mains et la peau

Alcoholic hands and skin disinfectant



Instructions for use - Please read carefully!

## AHD 2000®

Ready for use

Alcohol based hand and skin disinfectant

Active substance: Ethanol

DE-Reg-No: 6339804.00.00

### Composition

100 g **solution** contains:

Active ingredients: 79,9 g ethanol 96 % ,

Other ingredients: butan-2-one, macrogolglycerolcocoate, fragrance, lactic acid, purified water

### Range of application

- Control of bacteria (incl. Tb ), fungi and enveloped viruses, rota virus, adeno virus
- Disinfection of hands and non-injured skin

### Mode of application / dosage

Use externally and undiluted only!

#### **Surgical hand disinfection**

Pour at least 5 ml **AHD 2000®** in the palm of the hands and rub on hands and forearms until dry, giving particular attention to the fingertips and to the areas around the nails. Duration: 1 1/2 min. each.

#### **Hygienic hand rub**

(Also appropriate for use according to §18 of the German Law for the prevention of infectious diseases (IfSG))

Keep hands wet by the concentrated

product during the whole exposure time:

concentrated at least 3 ml - 30 sec

#### **Skin disinfection**

Wet the area to be disinfected completely with **AHD 2000®** and allow to dry completely, especially before using thermo-electrical appliances on the skin.

Before punctures and injections

concentrated at least 15 sec;

Before punctures of articulations, body cavities, hollow organs, and before surgery

concentrated at least 1 min

On skin with a lot of sebaceous glands (for ex. forehead):

concentrated at least 1 min

Virucidal\* against enveloped viruses incl. HBV/HCV/HIV, Rota virus and Adeno virus

concentrated - 30 sec

\*according to recommendation of Robert Koch Institute Berlin/ Federal Health Gazette 01/2004

### Warnings / storage

- Do not apply on wounds or mucous membranes.
- **AHD 2000®** is highly flammable (flash point acc. to DIN 51 755: 19 °C).
- Do not spray in open flame.
- Do not store above 25 °C, keep drugs out of reach of children and away from ignition sources.
- Do not use beyond expiry date.

### Properties

- Comprehensive range of action
- Reliable action even in presence of albumin, serum and blood
- Well tolerated by the skin (even after frequent use)

We recommend to use the following products complementary prior to surgical hand disinfection and after finishing work:

- For cleaning: **Majola®**, **Wasa 2000** or **Wasa®-Soft**
- For care: **Majola®-H5-Creme**
- For protection: **Luphenil®**

Translated by Lysoform Dr. Hans Rosemann GmbH, Berlin - Germany



### Application schedule for surgical hand disinfection

Surgical hand disinfection	Product	Mode of application
<b>Prior to surgery:</b> Pre-cleansing	Majola <sup>®</sup> or Wasa <sup>®</sup> 2000	Wet hands and forearms, wash with Majola <sup>®</sup> or Wasa <sup>®</sup> 2000, rinse well and dry.
Disinfection	AHD 2000 <sup>®</sup>	Min. 5 ml AHD 2000 <sup>®</sup> Rub on hands and forearms until dry, giving particular attention to fingertips and nails. Duration: 1 ½ min. each
<b>After surgery:</b> Washing	Majola <sup>®</sup> or Wasa <sup>®</sup> 2000	Wet hands and forearms, wash with Majola <sup>®</sup> or Wasa <sup>®</sup> 2000, rinse well and dry.
Skin care	Majola <sup>®</sup> -H5- Creme	Apply thinly to skin/hands and rub in.

### Special precautions

Use drugs safely. Always read the label and product information before use.  
Certified and mentioned in the relevant lists.

**Date of revision: October 2009**

### Standard packaging / transport units:

- 20 x 125 ml bottles
- 15 x 250 ml bottles with sprayer
- 12 x 500 ml bottles
- 6 x 1000 ml bottles
- 6 x 1000 ml dispensing bottles
- 2 x 5 litre canisters
- 12 x 700 ml bags

### Accessories:

Lydos F-wall dispenser for 500 ml bottle  
Lydos F-wall dispenser for 1000 ml bottle  
Wall dispenser ELS for 500 ml bottle  
Wall dispenser TLS 25 for 1000 ml bottle  
Sterisol dispenser with plastic arm

Lysoform Dr. Hans Rosemann GmbH  
Kaiser-Wilhelm-Str. 133, D – 12247 Berlin  
Tel.: +49-30-77992-0    Telefax: +49-30-77992-219

Lysoform Desinfektion AG  
Burgstraße 28, CH – 8750 Glarus  
Tel.: +41-55 640 62 79

0411-15